

ENGLAND — YARMOUTH

LAT 50°42'N LONG 1°30'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2019

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0002	1.4	16 0631	2.7	1 0131	1.5	16 0047	1.5	1 0005	1.7	16 0639	2.6	1 0144	1.5	16 0131	1.2
0723	2.8	1133	1.5	0831	2.7	0800	2.7	0717	2.6	1158	1.5	0834	2.6	0817	2.8
TU 1237	1.4	W 1854	2.6	F 1403	1.3	SA 1327	1.2	F 1242	1.5	SA 1920	2.6	M 1404	1.4	TU 1353	1.0
1942	2.7			2102	2.7	2028	2.7	1953	2.6			2100	2.7	2044	2.9
2 0059	1.4	17 0003	1.5	2 0226	1.4	17 0154	1.2	2 0112	1.6	17 0041	1.5	2 0230	1.3	17 0221	1.0
0810	2.9	0726	2.7	0910	2.8	0848	2.8	0812	2.6	0747	2.7	0908	2.7	0856	2.9
W 1331	1.3	TH 1244	1.4	SA 1452	1.2	SU 1426	1.0	SA 1342	1.5	SU 1317	1.2	TU 1445	1.2	W 1442	0.8
2029	2.8	1951	2.7	2138	2.8	2112	2.9	2045	2.6	2017	2.8	2131	2.8	2120	3.0
3 0151	1.3	18 0109	1.3	3 0314	1.2	18 0251	1.0	3 0210	1.5	18 0147	1.2	3 0310	1.2	18 0308	0.8
0850	2.9	0817	2.8	0944	2.8	0926	3.0	0854	2.7	0834	2.8	0940	2.8	0931	3.0
TH 1421	1.2	F 1343	1.2	SU 1537	1.0	M 1519	0.7	SU 1433	1.2	M 1414	1.0	W 1524	1.0	TH 1528	0.6
2112	2.8	2040	2.8	2211	2.8	2151	3.0	2122	2.7	2100	2.9	2201	2.9	2156	3.0
4 0241	1.2	19 0207	1.2	4 0357	1.1	19 0342	0.8	4 0256	1.2	19 0240	1.0	4 0345	1.0	19 0351	0.6
0925	2.9	0900	2.9	1017	2.9	1003	3.0	0928	2.8	0912	2.9	1010	2.9	1007	3.0
F 1509	1.1	SA 1438	1.0	M 1619	1.0	TU 1607	0.5	M 1516	1.1	TU 1504	0.7	TH 1559	0.9	F 1611	0.5
2150	2.9	2122	2.9	● 2241	2.9	O 2228	3.0	2153	2.8	2137	3.0	2229	2.9	O 2230	3.1
5 0328	1.2	20 0300	1.0	5 0438	1.0	20 0429	0.6	5 0337	1.1	20 0328	0.7	5 0419	0.9	20 0433	0.5
0959	2.9	0938	3.0	1048	2.9	1038	3.1	1000	2.8	0948	3.0	1038	2.9	1042	3.0
SA 1553	1.0	SU 1530	0.7	TU 1656	0.9	W 1652	0.4	TU 1555	1.0	W 1549	0.5	F 1633	0.8	SA 1653	0.5
2224	2.9	2201	3.0	2321	2.9	2309	3.1	2223	2.9	2213	3.0	● 2256	3.0	2309	3.1
6 0413	1.1	21 0352	0.8	6 0512	1.0	21 0512	0.5	6 0416	1.0	21 0413	0.6	6 0450	0.8	21 0512	0.6
1031	2.9	1015	3.0	1130	2.9	1125	3.1	1030	2.9	1023	3.0	1108	2.9	1132	3.0
SU 1635	1.0	M 1620	0.6	W 1727	0.9	TH 1734	0.4	W 1631	0.9	TH 1634	0.4	SA 1704	0.8	SU 1732	0.6
● 2257	2.9	O 2239	3.0					● 2252	2.9	O 2249	3.1	2333	3.0		
7 0453	1.1	22 0441	0.7	7 0006	2.9	22 0008	3.1	7 0449	0.9	22 0455	0.4	7 0519	0.8	22 0002	3.0
1107	2.9	1051	3.1	0543	1.0	0555	0.5	1101	2.9	1101	3.1	1145	2.9	0552	0.7
M 1712	1.0	TU 1705	0.5	TH 1211	2.9	F 1222	3.0	TH 1703	0.8	F 1715	0.4	SU 1734	0.8	M 1229	3.0
2347	2.9	2329	3.1	1757	0.9	1816	0.4	2332	2.9	2339	3.1			1810	0.8
8 0529	1.1	23 0526	0.7	8 0045	2.9	23 0111	3.1	8 0518	0.9	23 0535	0.4	8 0008	3.0	23 0053	3.0
1153	2.9	1145	3.1	0610	1.0	0637	0.6	1142	2.9	1157	3.0	0550	0.8	0630	0.8
TU 1747	1.0	W 1750	0.4	F 1246	2.9	SA 1323	3.0	F 1732	0.8	SA 1755	0.4	M 1222	2.9	TU 1328	3.0
				1824	1.0	1859	0.6					1804	0.8	1850	1.0
9 0032	2.9	24 0031	3.1	9 0120	2.9	24 0217	3.0	9 0011	2.9	24 0037	3.1	9 0044	2.9	24 0143	2.9
0603	1.2	0611	0.7	0638	1.0	0720	0.8	0546	0.9	0614	0.6	0621	2.9	0708	1.0
W 1234	2.9	TH 1244	3.0	SA 1322	2.8	SU 1430	3.0	SA 1216	2.9	SU 1256	3.0	TU 1303	2.8	W 1425	2.9
1816	1.0	1835	0.5	1853	1.0	1942	0.8	1800	0.8	1834	0.7	1839	0.9	1930	1.2
10 0113	2.9	25 0138	3.0	10 0156	2.9	25 0316	3.0	10 0045	2.9	25 0134	3.0	10 0124	2.9	25 0234	2.8
0632	1.2	0657	0.8	0708	1.0	0806	1.0	0613	0.9	0655	0.7	0657	0.9	0750	1.2
TH 1312	2.8	F 1349	3.0	SU 1401	2.8	M 1536	2.9	SU 1251	2.9	M 1358	3.0	W 1352	2.9	TH 1520	2.8
1846	1.1	1920	0.7	1925	1.0	2031	1.1	1828	0.8	1914	0.9	1917	1.0	2019	1.5
11 0153	2.9	26 0250	3.0	11 0240	2.8	26 0410	2.9	11 0118	2.9	26 0228	2.9	11 0214	2.8	26 0326	2.7
0702	1.2	0745	1.0	0745	1.1	0901	1.2	0643	0.9	0735	1.0	0739	1.0	0843	1.5
F 1352	2.8	SA 1500	2.9	M 1449	2.8	TU 1640	2.7	M 1328	2.9	TU 1459	2.9	TH 1454	2.8	F 1621	2.6
1917	1.2	2010	0.9	2005	1.1	⊔ 2132	1.4	1900	0.9	1958	1.2	2003	1.2	⊔ 2135	1.7
12 0235	2.8	27 0356	3.0	12 0330	2.8	27 0511	2.7	12 0156	2.9	27 0319	2.8	12 0323	2.7	27 0428	2.6
0737	1.3	0839	1.2	0830	1.2	1011	1.5	0718	0.9	0821	1.2	0831	1.2	1009	1.6
SA 1440	2.7	SU 1610	2.8	TU 1548	2.7	W 1753	2.6	TU 1413	2.8	W 1559	2.7	F 1615	2.7	SA 1743	2.6
1955	1.2	⊔ 2106	1.2	⊔ 2053	1.2	2250	1.5	1937	1.0	2051	1.5	⊔ 2102	1.5	2256	1.8
13 0324	2.8	28 0457	2.9	13 0433	2.7	28 0620	2.6	13 0244	2.8	28 0415	2.7	13 0451	2.6	28 0559	2.5
0819	1.4	0942	1.3	0924	1.4	1130	1.6	0800	1.0	0924	1.5	0945	1.5	1125	1.7
SU 1534	2.7	M 1719	2.7	W 1701	2.6	TH 1855	2.6	W 1511	2.7	TH 1707	2.6	SA 1757	2.6	SU 1857	2.6
2041	1.3	2214	1.3	2152	1.4			2023	1.2	⊔ 2215	1.7	2253	1.6		
14 0421	2.7	29 0601	2.8	14 0551	2.6	29 0851	2.7	14 0348	2.7	29 0527	2.6	14 0627	2.6	29 0005	1.8
0910	1.5	1053	1.5	1037	1.5	1149	1.5	0851	1.2	1053	1.6	1149	1.5	0715	2.5
M 1638	2.6	TU 1824	2.6	TH 1823	2.6	2316	1.5	TH 1626	2.6	F 1827	2.6	SU 1909	2.7	M 1229	1.6
⊔ 2135	1.4	2325	1.5	2316	1.5			⊔ 2119	1.4	2334	1.8			1952	2.6
15 0528	2.7	30 0651	2.7	15 0657	2.6	30 0647	2.5	15 0511	2.6	30 0647	2.5	15 0031	1.5	30 0105	1.6
1014	1.5	1204	1.5	1212	1.5	1209	1.7	1000	1.5	1209	1.7	0731	2.7	0806	2.6
TU 1754	2.6	W 1918	2.6	F 1931	2.6	SA 1930	2.6	F 1805	2.6	SA 1930	2.6	M 1259	1.2	TU 1321	1.5
2244	1.5							2245	1.5			2003	2.8	2032	2.7
		31 0031	1.5							31 0045	1.7				
		0744	2.7							0748	2.5				
		TH 1307	1.5							SU 1312	1.5				
		2012	2.6							2023	2.6				

IN THE APPROACHES TO AND WITHIN THE WESTERN SOLENT DOUBLE HIGH WATERS OCCUR AT OR NEAR SPRINGS; ON OTHER OCCASIONS THERE IS A STAND WHICH LASTS ABOUT 2 HOURS. THE PREDICTIONS REFER TO THE FIRST HIGH WATER

ENGLAND — YARMOUTH

LAT 50°42'N LONG 1°30'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2019

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0152 1.4 0844 2.7 W 1405 1.3 2105 2.8		16 0155 1.1 0836 2.9 TH 1416 0.9 2102 3.0		1 0227 1.2 0918 2.8 SA 1443 1.1 2134 2.9		16 0305 1.0 0938 2.9 SU 1525 1.0 2155 3.0		1 0236 1.1 0925 2.9 M 1457 1.0 2140 3.0		16 0334 1.0 1010 2.9 TU 1555 1.1 O 2216 2.9		1 0357 0.7 1025 3.0 TH 1621 0.8 ● 2234 3.0		16 0442 0.9 1102 2.9 F 1702 1.0 2309 2.9	
2 0232 1.2 0916 2.8 TH 1444 1.1 2135 2.9		17 0242 0.9 0913 3.0 F 1502 0.8 2137 3.0		2 0308 1.0 0947 2.9 SU 1526 1.0 2203 3.0		17 0350 0.9 1017 2.9 M 1610 1.0 O 2229 3.0		2 0324 0.9 1000 2.9 TU 1546 1.0 ● 2214 3.0		17 0419 1.0 1045 2.9 W 1640 1.0 2249 2.9		2 0445 0.6 1105 3.0 F 1707 0.7 2318 3.1		17 0516 0.9 1149 2.9 SA 1735 1.0 2354 2.9	
3 0309 1.1 0946 2.8 F 1522 1.0 2203 2.9		18 0327 0.8 0951 3.0 SA 1546 0.7 O 2211 3.0		3 0348 0.9 1018 2.9 M 1608 0.9 ● 2232 3.0		18 0434 0.9 1056 2.9 TU 1654 1.0 2307 3.0		3 0412 0.7 1107 3.0 W 1634 0.9 2248 3.0		18 0500 1.0 1129 2.9 TH 1720 1.0 2333 2.9		3 0529 0.5 1203 3.1 SA 1752 0.7		18 0548 1.0 1233 2.9 SU 1803 1.0	
4 0344 1.0 1013 2.9 SA 1559 0.9 ● 2229 3.0		19 0411 0.7 1028 3.0 SU 1630 0.7 2245 3.0		4 0430 0.8 1049 3.0 TU 1649 0.8 2306 3.0		19 0514 0.9 1151 2.9 W 1734 1.0 2357 2.9		4 0458 0.7 1123 3.0 TH 1719 0.8 2337 3.0		19 0537 1.0 1219 2.9 F 1757 1.1		4 0014 3.0 0613 0.5 SU 1306 3.1 1836 0.7		19 0034 2.9 0615 1.0 M 1311 2.9 1830 1.1	
5 0419 0.9 1040 2.9 SU 1635 0.8 2255 3.0		20 0452 0.7 1111 3.0 M 1710 0.8 2331 3.0		5 0510 0.7 1138 3.0 W 1730 0.9 2356 3.0		20 0554 1.0 1244 2.9 TH 1813 1.1		5 0542 0.7 1222 3.0 F 1804 0.8		20 0021 2.9 0611 1.0 SA 1305 2.9 1829 1.2		5 0116 3.0 0658 0.7 M 1417 3.0 1922 0.8		20 0109 2.8 0642 1.0 TU 1347 2.9 1858 1.1	
6 0453 0.8 1114 3.0 M 1709 0.8 2335 3.0		21 0531 0.8 1209 3.0 TU 1750 1.0		6 0552 0.7 1234 3.0 TH 1813 0.9		21 0045 2.9 0630 1.0 F 1334 2.9 1851 1.2		6 0034 3.0 0627 0.7 SA 1328 3.0 1851 0.9		21 0104 2.8 0642 1.1 SU 1349 2.9 1900 1.2		6 0224 3.0 0745 0.8 TU 1524 3.0 2012 1.0		21 0146 2.8 0711 1.1 W 1424 2.8 1930 1.2	
7 0528 0.7 1157 3.0 TU 1745 0.8		22 0021 3.0 0609 0.9 W 1305 2.9 1829 1.1		7 0050 3.0 0636 0.8 F 1338 3.0 1900 1.0		22 0131 2.8 0705 1.2 SA 1422 2.8 1927 1.3		7 0137 3.0 0715 0.8 SU 1441 3.0 1941 1.0		22 0144 2.8 0711 1.2 M 1429 2.8 1930 1.3		7 0337 2.9 0838 1.0 W 1625 3.0 D 2109 1.2		22 0230 2.8 0747 1.2 TH 1510 2.8 2011 1.2	
8 0016 3.0 0603 0.8 W 1246 3.0 1823 0.9		23 0110 2.9 0648 1.0 TH 1359 2.9 1909 1.2		8 0153 2.9 0724 1.0 SA 1453 2.9 1953 1.2		23 0217 2.8 0742 1.2 SU 1507 2.8 2007 1.5		8 0250 2.9 0807 1.0 M 1550 3.0 2038 1.2		23 0228 2.8 0746 1.2 TU 1511 2.8 2008 1.3		8 0447 2.8 0941 1.2 TH 1728 2.9 2216 1.4		23 0324 2.7 0831 1.3 F 1606 2.7 C 2101 1.4	
9 0104 2.9 0644 0.9 TH 1342 2.9 1905 1.0		24 0159 2.8 0727 1.2 F 1449 2.8 1953 1.5		9 0307 2.8 0822 1.1 SU 1609 2.9 2058 1.3		24 0307 2.7 0824 1.4 M 1556 2.7 2054 1.5		9 0404 2.9 0906 1.1 TU 1657 2.9 D 2141 1.2		24 0317 2.7 0827 1.3 W 1601 2.8 2054 1.5		9 0559 2.7 1050 1.5 F 1827 2.8 2327 1.5		24 0431 2.6 0926 1.5 SA 1713 2.7 2206 1.5	
10 0201 2.9 0729 1.0 F 1454 2.8 1956 1.2		25 0249 2.7 0812 1.4 SA 1542 2.7 2048 1.6		10 0427 2.8 0933 1.2 M 1724 2.9 D 2213 1.4		25 0403 2.6 0915 1.5 TU 1652 2.7 C 2152 1.6		10 0518 2.8 1013 1.2 W 1805 2.9 2249 1.4		25 0415 2.6 0915 1.4 TH 1658 2.7 C 2150 1.5		10 0654 2.7 1159 1.5 SA 1919 2.7		25 0553 2.6 1042 1.6 SU 1827 2.6 2336 1.5	
11 0316 2.8 0826 1.2 SA 1618 2.8 2102 1.5		26 0346 2.6 0910 1.5 SU 1642 2.6 C 2202 1.7		11 0548 2.7 1049 1.2 TU 1830 2.9 2326 1.4		26 0509 2.6 1017 1.5 W 1758 2.7 2258 1.6		11 0623 2.7 1121 1.3 TH 1853 2.8 2356 1.4		26 0522 2.6 1017 1.5 F 1805 2.7 2257 1.5		11 0035 1.5 0752 2.7 SU 1304 1.5 2010 2.7		26 0705 2.6 1219 1.6 M 1936 2.7	
12 0442 2.7 0947 1.4 SU 1746 2.7 D 2244 1.5		27 0452 2.6 1027 1.6 M 1804 2.6 2312 1.8		12 0647 2.7 1156 1.2 W 1920 2.9		27 0618 2.6 1125 1.5 TH 1852 2.7		12 0713 2.7 1225 1.3 F 1940 2.8		27 0629 2.6 1131 1.5 SA 1858 2.7		12 0136 1.4 0848 2.7 M 1403 1.5 2053 2.8		27 0058 1.4 0814 2.7 TU 1329 1.4 2031 2.8	
13 0612 2.7 1124 1.4 M 1851 2.8		28 0619 2.5 1133 1.6 TU 1909 2.6		13 0031 1.3 0735 2.8 TH 1255 1.2 2004 2.9		28 0002 1.5 0716 2.6 F 1225 1.5 1947 2.7		13 0058 1.3 0803 2.7 SA 1323 1.3 2025 2.8		28 0011 1.5 0728 2.6 SU 1241 1.5 1956 2.7		13 0231 1.2 0929 2.8 TU 1454 1.3 2129 2.8		28 0200 1.2 0859 2.9 W 1428 1.2 2109 2.9	
14 0004 1.5 0710 2.7 TU 1231 1.2 1944 2.9		29 0011 1.7 0727 2.6 W 1229 1.5 1957 2.7		14 0126 1.2 0818 2.8 F 1347 1.1 2043 3.0		29 0056 1.4 0808 2.7 SA 1318 1.3 2030 2.8		14 0154 1.2 0850 2.8 SU 1417 1.2 2105 2.9		29 0115 1.3 0826 2.7 M 1342 1.3 2044 2.8		14 0319 1.1 0959 2.9 W 1541 1.2 2201 2.9		29 0254 0.9 0935 3.0 TH 1520 1.0 2145 3.0	
15 0104 1.2 0757 2.8 W 1326 1.1 2025 3.0		30 0102 1.5 0812 2.6 TH 1316 1.4 2035 2.8		15 0217 1.0 0859 2.9 SA 1437 1.0 2119 3.0		30 0146 1.2 0848 2.8 SU 1408 1.2 2105 2.9		15 0246 1.1 0934 2.8 M 1508 1.2 2142 2.9		30 0214 1.1 0910 2.8 TU 1439 1.2 2124 2.9		15 0401 1.0 1029 2.9 TH 1623 1.0 O 2233 2.9		30 0343 0.7 1011 3.0 F 1608 0.7 ● 2220 3.1	
		31 0145 1.3 0848 2.7 F 1400 1.2 2106 2.9						31 0308 0.9 0948 3.0 W 1532 1.0 2200 3.0				31 0430 0.5 1046 3.1 SA 1652 0.6 2255 3.1			

IN THE APPROACHES TO AND WITHIN THE WESTERN SOLENT DOUBLE HIGH WATERS OCCUR AT OR NEAR SPRINGS; ON OTHER OCCASIONS THERE IS A STAND WHICH LASTS ABOUT 2 HOURS. THE PREDICTIONS REFER TO THE FIRST HIGH WATER

ENGLAND — YARMOUTH

LAT 50°42'N LONG 1°30'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2019

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0512 1138 SU 1734 2350	0.4 3.1 0.6 3.1	16 0519 1156 M 1735	0.9 3.0 1.0	1 0532 1205 TU 1754	0.5 3.1 0.6	16 0517 1151 W 1734	1.0 3.0 1.0	1 0054 0629 F 1318 1852	3.0 1.0 3.0 1.1	16 0018 0601 SA 1235 1820	3.0 1.0 3.0 1.0	1 0135 0654 SU 1340 1914	2.9 1.3 2.9 1.2	16 0101 0633 M 1316 1857	3.0 1.1 3.0 1.0
2 0554 1238 M 1816	0.4 3.1 0.6	17 0001 0547 TU 1232 1802	2.9 1.0 3.0 1.0	2 0020 0612 W 1301 1834	3.1 0.7 3.1 0.8	17 0000 0547 TH 1224 1803	3.0 1.0 3.0 1.0	2 0158 0712 SA 1413 1936	2.9 1.2 2.9 1.3	17 0107 0639 SU 1325 1902	3.0 1.2 2.9 1.1	2 0232 0739 M 1432 2000	2.9 1.5 2.8 1.5	17 0208 0720 TU 1420 1947	3.0 1.2 2.9 1.1
3 0048 0636 TU 1342 1859	3.0 0.6 3.1 0.7	18 0033 0612 W 1303 1828	2.9 1.0 2.9 1.0	3 0122 0653 TH 1400 1916	3.0 0.9 3.0 1.0	18 0037 0617 F 1258 1835	3.0 1.0 2.9 1.0	3 0302 0805 SU 1511 2035	2.8 1.5 2.8 1.5	18 0210 0724 M 1429 1951	2.9 1.3 2.8 1.3	3 0329 0837 TU 1530 2101	2.8 1.7 2.7 1.6	18 0324 0817 W 1540 2048	2.9 1.4 2.8 1.2
4 0154 0719 W 1448 1944	3.0 0.8 3.0 1.0	19 0106 0641 TH 1336 1859	2.9 1.0 2.9 1.1	4 0230 0738 F 1458 2004	2.9 1.2 2.9 1.3	19 0119 0652 SA 1342 1912	2.9 1.2 2.9 1.2	4 0409 0927 M 1615 2200	2.7 1.8 2.6 1.7	19 0331 0822 TU 1554 2059	2.8 1.5 2.7 1.5	4 0431 0954 W 1636 2217	2.7 1.8 2.6 1.7	19 0441 0928 TH 1701 2206	2.9 1.5 2.8 1.3
5 0305 0807 TH 1547 2037	2.9 1.1 2.9 1.2	20 0148 0714 F 1418 1936	2.8 1.1 2.8 1.2	5 0338 0834 SA 1557 2111	2.8 1.5 2.8 1.5	20 0216 0734 SU 1442 2000	2.8 1.3 2.8 1.3	5 0527 1041 TU 1742 2309	2.6 1.8 2.6 1.8	20 0501 0957 W 1729 2250	2.8 1.7 2.7 1.5	5 0547 1102 TH 1805 2321	2.6 1.8 2.6 1.7	20 0558 1052 F 1817 2324	2.9 1.5 2.7 1.3
6 0414 0907 F 1646 2145	2.8 1.4 2.8 1.5	21 0241 0756 SA 1516 2023	2.8 1.3 2.7 1.4	6 0449 1000 SU 1707 2235	2.7 1.8 2.6 1.7	21 0332 0828 M 1604 2104	2.7 1.6 2.7 1.6	6 0642 1146 W 1858	2.6 1.8 2.6	21 0623 1136 TH 1843	2.8 1.6 2.7	6 0652 1202 F 1910	2.8 1.7 2.6	21 0651 1203 SA 1909	2.9 1.4 2.8
7 0527 1025 SA 1757 2302	2.7 1.6 2.7 1.6	22 0350 0849 SU 1631 2126	2.7 1.5 2.6 1.5	7 0612 1114 M 1830 2344	2.6 1.8 2.6 1.8	22 0511 0958 TU 1748 2320	2.7 1.8 2.6 1.6	7 0010 0743 TH 1246 1953	1.7 2.7 1.7 2.6	22 0003 0719 F 1238 1934	1.4 2.9 1.4 2.8	7 0016 0744 SA 1253 2000	1.6 2.7 1.6 2.6	22 0027 0740 SU 1301 1955	1.2 2.9 1.2 2.8
8 0635 1138 SU 1857	2.6 1.7 2.6	23 0523 1006 M 1807 2322	2.6 1.8 2.6 1.6	8 0717 1221 TU 1933	2.6 1.8 2.6	23 0642 1206 W 1905	2.7 1.7 2.7	8 0104 0826 F 1335 2032	1.5 2.8 1.5 2.7	23 0059 0805 SA 1329 2016	1.2 3.0 1.2 2.9	8 0103 0824 SU 1335 2039	1.5 2.8 1.5 2.7	23 0121 0822 M 1352 2038	1.2 3.0 1.2 2.9
9 0013 0738 M 1246 1955	1.6 2.6 1.7 2.6	24 0655 1215 TU 1923	2.6 1.7 2.7	9 0048 0848 W 1320 2026	1.6 2.7 1.7 2.7	24 0032 0744 TH 1305 1957	1.5 2.8 1.5 2.8	9 0149 0856 SA 1417 2104	1.4 2.9 1.4 2.8	24 0148 0842 SU 1417 2052	1.0 3.0 1.0 3.0	9 0146 0858 M 1415 2112	1.4 2.9 1.3 2.8	24 0213 0901 TU 1441 2120	1.1 3.0 1.0 2.9
10 0117 0901 TU 1346 2042	1.5 2.7 1.5 2.7	25 0049 0801 W 1322 2016	1.5 2.7 1.5 2.8	10 0142 0919 TH 1410 2058	1.5 2.8 1.5 2.8	25 0126 0827 F 1355 2036	1.2 3.0 1.2 3.0	10 0229 0925 SU 1454 2135	1.2 3.0 1.2 2.9	25 0236 0917 M 1501 2129	0.9 3.1 0.9 3.0	10 0228 0929 TU 1453 2142	1.2 2.9 1.2 2.9	25 0301 0938 W 1528 2200	1.0 3.0 1.0 3.0
11 0211 0937 W 1436 2115	1.4 2.8 1.4 2.8	26 0147 0844 TH 1415 2054	1.2 2.9 1.2 3.0	11 0228 0924 F 1452 2127	1.2 2.9 1.2 2.9	26 0216 0902 SA 1441 2111	1.0 3.0 1.0 3.0	11 0307 0954 M 1530 2204	1.1 3.0 1.1 2.9	26 0321 0951 TU 1546 2207	0.8 3.1 0.8 3.0	11 0309 0956 W 1533 2210	1.2 3.0 1.0 2.9	26 0348 1013 TH 1614 2239	1.0 3.0 0.9 3.0
12 0257 0944 TH 1520 2146	1.2 2.9 1.2 2.9	27 0238 0920 F 1504 2129	0.9 3.0 0.9 3.0	12 0308 0950 SA 1530 2156	1.1 3.0 1.1 2.9	27 0301 0936 SU 1526 2146	0.7 3.1 0.7 3.1	12 0342 1021 TU 1603 2230	1.0 3.0 1.0 3.0	27 0406 1026 W 1630 2245	0.8 3.1 0.7 3.0	12 0349 1023 TH 1613 2239	1.0 3.0 1.0 3.0	27 0434 1048 F 1658 2326	1.0 3.0 0.9 3.0
13 0338 1011 F 1559 2216	1.0 2.9 1.0 2.9	28 0325 0955 SA 1548 2203	0.7 3.1 0.7 3.1	13 0344 1017 SU 1605 2225	1.0 3.0 1.0 3.0	28 0345 1010 M 1609 2221	0.7 3.2 0.7 3.1	13 0418 1045 W 1638 2255	1.0 3.0 1.0 3.0	28 0449 1103 TH 1711 2337	0.9 3.1 0.8 3.0	13 0430 1050 F 1653 2315	1.0 3.0 0.9 3.0	28 0516 1135 SA 1738	1.0 3.0 0.9
14 0416 1040 SA 1636 2245	1.0 3.0 1.0 2.9	29 0409 1029 SU 1632 2237	0.5 3.2 0.6 3.1	14 0418 1045 M 1637 2252	1.0 3.0 1.0 3.0	29 0428 1044 TU 1651 2257	0.6 3.2 0.7 3.1	14 0451 1117 TH 1709 2335	1.0 3.0 1.0 3.0	29 0530 1156 F 1752	1.0 3.0 0.9	14 0509 1133 SA 1732	1.0 3.0 0.8	29 0020 0557 SU 1225 1817	3.0 1.1 2.9 1.0
15 0450 1115 SU 1708 2323	0.9 3.0 1.0 2.9	30 0452 1108 M 1713 2323	0.4 3.2 0.5 3.1	15 0449 1118 TU 1706 2326	1.0 3.0 1.0 3.0	30 0508 1131 W 1730 2355	0.7 3.1 0.7 3.0	15 0525 1154 F 1744	1.0 3.0 1.0	30 0037 0611 SA 1247 1832	3.0 1.1 3.0 1.1	15 0006 0550 SU 1221 1812	3.0 1.0 3.0 0.9	30 0112 0636 M 1313 1854	2.9 1.2 2.9 1.1
				31 0549 1224 TH 1810	0.8 3.1 0.9									31 0202 0713 TU 1401 1929	2.9 1.3 2.8 1.2

IN THE APPROACHES TO AND WITHIN THE WESTERN SOLENT DOUBLE HIGH WATERS OCCUR AT OR NEAR SPRINGS; ON OTHER OCCASIONS THERE IS A STAND WHICH LASTS ABOUT 2 HOURS. THE PREDICTIONS REFER TO THE FIRST HIGH WATER